


Celebrating our 20th Anniversary, let our knowledgeable and professional sales team help you with all of your product placement, marketing and merchandising needs.

























RVLI is a dedicated team of professionals serving all aspects of the outdoor recreation industry. From RV to Camping to Marine, **RVLI** has expertise and knowledge relating to all things outdoors. RVLI's commitment to its clients comes with over 100 years of combined experience bringing the best possible results to suppliers, distributors, dealers and consumers. Founded in 2002. **RVLI** is dedicated to the success of the products and suppliers we represent through the efforts and achievements of our sales and marketing teams.

Why RVLI?

Award-winning service that gets the job done right.

DEPENDABILITY

- We deliver what is promised, when it is promised.
- Our proactive attitude allows us to anticipate what our clients need.
- We maintain consistent communication with client's sales reps.
- Our listening ears are always on we want to provide products, services, and knowledge that will allow your business to thrive.

KNOWLEDGE

- Extensive product knowledge we know what the item does, how it works, and how to sell it successfully.
- Native knowledge on how to display, market, and sell to customers in order to continuously increase profitability.
- Exhaustive knowledge of competitor's products including key features and main differences.

SUPPORT

- · Product training.
- Merchandising materials and ideas.
- Store set and Planogram placement.
- · Show and Open House attendance.
- Maintain inventory of product samples to be utilized for marketing and sales needs.
- · Marketing ideas to increase sales.

TOOLS

- RVLI Vendor Book with custom marketing pages designed to showcase all product with information and detail.
- Introduction to new products coming to market.
- Monthly newsletter with industry information.
- Product comparison charts.





TABLE OF CONTENTS

ProPack	p. 2
Classic Accessories	p. 6
ParkPower	p. 19
Progressive Industries	p. 23
Blue Sea Systems	p. 25
RELION	p. 27
	Total Control of the
Pollak	p. 31
Prest-O-Fit	p. 38
RV Safe	p. 43
Specialty Recreation	p. 45
Teknor Apex	p. 48

Propack Packaging, Inc.

ProPack knows the importance of cleaning products that are strong enough for the toughest jobs, yet gentle enough for even the smallest of helpers. From preventative maintenance to routine cleaning and scrubbing, we manufacture the right product that is not only the best you can buy, but also safe for the whole family - and the environment.



The cornerstone of our product performance comes from new chemical technology and repetitive testing. Our philosophy is to develop the absolute best product for a specific application, test it over and over again until we are completely satisfied - and then send it to our outside testing sites for confirmation.

We offer many different products to protect, clean and maintain your RV investment. With so many safe and effective products to choose from, we are confident you will agree that Kronen sanitation products and BEST Cleaners and Protectants are your complete source for RV cleaning and sanitation maintenance.

When it comes to your RV and your family, why settle for ordinary, when you can have the BEST!



MAKERS OF QUALITY RV & MARINE PRODUCTS







CONSUMER RATED LINE OF RV CLEANDERS & PROTECTANTS





MILDEW STAIN REMOVER Item #39032

32 oz. spray

Removes mildew stains from vinyl cushions, vinyl chairs, boat tops, mats, vinyl canopies, tile, grout, shower stalls, curtains, awnings & more. Easy to use.



AWNING CLEANER Item #52032

32 oz. spray

Removes mold, mildew, dirt and grime. Helps protect against damaging sun rays, weathering and salt. Works great on acrylic, vinyl, synthetic and natural fabrics. Also great for outdoor furniture.



BUG-OFF Item #45032

32 oz. spray

Removes dead bugs from your windshield, front grill or any part of your vehicle! Just spray & wipe! Also effectively removes tree sap. Biodegradeable and environmentally safe.



CARPET & UPHOLSTERY CLEANER

Item #70032

32 oz. spray

Removes even the most stubborn stains. Leaves carpet and upholstery clean, bright and fresh with no sticky film to attract more dirt. Nonflammable and biodegradable.



ODOR ELIMINATOR

Item #80032

32 oz. spray

Eliminates odors caused by pets, smoke, etc. at the source and freshens the air in your RV. Not a perfume which merely covers up odors. Safe for use on most fabrics and carpeting.



SPF 2000

Item #30032 & #30128

32 oz. spray & 128 oz.

Provides superior protection to awning, tires, dashboards, leather, vinyl, plastic, & more. Conditions & repels dust. 100% biodegradable and environmentally safe.



WATERPROOFER Item #63032

iteiii #630

32 oz. spray

Creates a water-tight barrier against moisture, rot and mildew. Safe for all fabrics, including Sunbrella. Great for awnings, outdoor furniture, boat covers, clothing, umbrellas, fabrics or shoes.



SUPER STREAK *Item #65032 & #65128*

32 oz. spray & 128 oz.

A multi-purpose concentrated cleaner and de-greaser that removes things like grease and tar from tires, awnings, gutters, concrete and more!! Use diluted for routine cleaning, or concentrated for heavier dirt and grime.



WASH AND WAX Item #60032 & #60128

32 oz. & 128 oz.

Clean, shine and protect your RV in one-step! Designed for all RV, automotive or marine surfaces. Concentrated, rich foaming formula that shines without buffing.







Best RV products are made by the same type of folks that use them - and as a result, they are designed to deliver maximum performance at the best value. We know what you're looking for and we've perfected each formula so that you'll never be dissapointed.



BLACK STREAK REMOVER

Item #50032 & #50128

32 oz. spray & 128 oz

Easily removes black streaks and road grime build-up on any RV with minimal rubbing. Also great for tires, white walls, wheels and gutters. Safe for use on fiberglass, metal and painted surfaces when used as directed. Won't harm or fade decals.



48 nz & 128 nz

Extends the life of your rubber roof matting by cleaning and conditioning in one easy application. Professional strength, nonpetroleum formula safely and easily removes black streaks, surface oxidation and road film buildup as it moisturizes, conditions and preserves your rubber roof. Contains UV block.



RV CARE KIT Item #99001

RE KIT REST

GOLD PROGRAM

Professional strength formula includes high-quality Carnuba wax. Effectively restores the shine to your vehicle. Use on fiberglass, aluminum, acrylic, ceramic tile, formica, stainless steel, chrome and porcelain.

RENEW 3000

32 oz. spray & 128 oz.

Item #57032 & #57128

Complete RV Maintenance in one box! Each kit contains one (1) 32 oz. bottle of each of our five most popular products - plus a bonus Microfiber Wash Mitt, and our exclusive RV Care & Maintenance Guide. Wash & Wax - Bug Off - Black Streak Remover - Carpet Upholstery Cleaner - Awning Cleaner

\$2500 Retail Value







Description Item No. Cases Each SPF 2000 UV Blocker & Protectant, 32 oz 30032 6 Mildew Stain Remover, 32 oz 39032 2 12 Bug Off - Bug Remover, 32 oz 45032 12 Black Streak With Sprayer, 32 oz 50032 2 12 Black Streak, 128 oz 50128 8 2 52032 Awning Cleaner With Sprayer, 32 oz 12 Rubber Roof Clnr & Protectant, 48 oz 55048 18 3 Rubber Roof Clnr & Protectant, 128 oz 55128 4 Renew 3000 With Sprayer, 32 oz 57032 2 12 Renew 3000, 128 oz 57128 4 60032 12 Wash And Wax Concentrate, 32 oz Wash And Wax Concentrate, 128 oz 60128 4 Waterproofer, 32 oz 63032 6 Super Streak, 32 oz 65032 Carpet & Upholstery Cleaner, 32 oz 70032 6 Ultimate Odor Eliminator, 32 oz 80032 1 6 **RV Starter Kit With Wash Mitt** 99001 3 Best 12" X 48" Or 12" X 36" Header Card, 5 Piece 1 **Best Shelf Tags** 4 20 **Propack Brochures**

SILVER PROGRAM	\$1250 Retail	Value	
Description	Item No.	Cases	Each
Bug Off - Bug Remover, 32 oz	45032	2	12
Black Streak With Sprayer, 32 oz	50032	2	12
Black Streak, 128 oz	50128	1	4
Awning Cleaner With Sprayer, 32 oz	52032	1	6
Rubber Roof Clnr & Protectant, 48 oz	55048	3	18
Rubber Roof Clnr & Protectant, 128 oz	55128	1	4
Renew 3000 With Sprayer, 32 oz	57032	1	6
Wash And Wax Concentrate, 32 oz	60032	2	12
Best 12" X 48" Or 12" X 36" Header Card			1
Best Shelf Tags			2
Propack Brochures			10



THE KING OF TANK TREATMENTS & CLEANERS!



Kronen Premium Holding Tank Treatments use a potent combination of naturally occuring microorganisms that are specifically engineered to break down and liquefy organic materials. Except for a subtle herbal fragrance, all you are left with is a completely odorless liquid. Completely nature safe.



Gallon Jug #KHT003



1/2 Gallon Jug #KHT002



32 oz. Refillable #KHT001

Tip n Measure



2 oz. Trial Size #KHT000 Pack of six



Drop Ins#KDI013
Pack of six



Toilet Bowl Cleaner #KTB001

- Packaging promotes "nature safe" formula as alternative to harsh chemical products
- Builds customer loyalty and repeat visits

KRONEN PROGRAM \$1500 Retail Value

Description	Item No.	Cases	Each
Tip & Measure Kronen Holding Tank, 32 oz	KHT001	2	24
Kronen Holding Tank Treatment, 64 oz	KHT002	1	6
Kronen Holding Tank Treatment, 128 oz	KHT003	1	4
Toilet Bowl Cleaner Kronen, 16 oz	KTB001	1	6
Kronen Drop Ins, 10pk	KDI013	2	24
Kronen 12" X 48" Or 12" X 36" Header Card			1
Kronen Shelf Tags 2			2
Propack Brochures			10







Protecting Road Trips Since 1983

UNCOVER MORE TIME OUTDOORS™



OUR BEST SELECTION OF RECREATIONAL VEHICLE COVERS & ACCESSORIES

Why Choose Classic Accessories RV Covers?

- Protects against all the elements-rain, sun, wind, snow, hot or cold
- ✓ Longest, hassle-free warranty in the business
- Perfect fit for any coach, even those extra tall Class A and 5th wheel models
- Best cover features—most durable and lightweight RV covers make installation a breeze

Encompass™ RV Covers

- Extra strength ripstop fabric repels water and protects against dirt and sun damage
- Air vent system and quick drying fabric combine to reduce wind stress and vent inside moisture
- Adjustable tension panels and elasticized hem corners provide a custom-like fit
- Zippered panels allow access to the RV doors and storage compartments
- → Long zipper pulls reduce the need for a ladder

- → Integrated strap attachment and weighted toss bag system eliminates crawling under the RV to install tension straps
- → Tension panels reduce cover stress when tightening the straps
- → Includes SoftGuard™ foam inserts to help protect your cover from sharp edges
- → Includes a reinforcement patch kit
- → Storage bag included























Encompass™ Fabric

100% WOVEN POLYESTER RIPSTOP

ear-resistant Water-repellent Bird dropping protection Dirt, dust and scratch protection UV protection Snow protection

Includes SoftGuard™

sharp edge protectors





















Travel Trailer Cover

COLOR: CINDER/MAGNET

marci mane		COLOTT. CITTLETT, THOTTET
MFG #	FITS/DESCRIP	TION
80-485-142401-RT	MODEL 1: Fits	Travel Trailers 18'-20' L, 102" W, 118" Max H*
80-486-152401-RT	MODEL 2: Fits	Travel Trailers 20'–22' L, 102" W, 118" Max H*
80-487-162401-RT	MODEL 3: Fits	Travel Trailers 22'–24' L, 102" W, 118" Max H*
80-488-172401-RT	MODEL 4: Fits	Travel Trailers 24'-27' L, 102" W, 118" Max H*
80-489-182401-RT	MODEL 5: Fits	Travel Trailers 27'–30' L, 102" W, 118" Max H*
80-490-192401-RT	MODEL 6: Fits	Travel Trailers 30'-33' L, 102" W, 118" Max H*

*FIT DIMENSIONS include only the Trailer Body, tow hitch not included. Not designed to entirely cover the wheels and legs.





















5th Wheel Cover

COLOR: CINDER/MAGNET

MFG #	FITS/DESCRIPTION
80-491-172401-RT	MODEL 4T: Fits 5th Wheels 29'-33' L, 102" W, 135" Max H*
80-492-182401-RT	MODEL 5T: Fits 5th Wheels 33'–37' L, 102" W, 135" Max H*
80-493-192401-RT	MODEL 6XT: Fits 5th Wheels 37'-41' L, 102" W, 140" Max H*
80-494-202401-RT	MODEL 7XT: Fits 5th Wheels 41'-44' L, 102" W, 140" Max H*
	only the Trailer Body, tow hitch not included.

Not designed to entirely cover the wheels and legs.




















Class C RV Cover

COLOR: CINDER/MAGNET







Why Choose Classic Accessories RV Covers?

- ☑ Protects against all the elements-rain, sun, wind, snow, hot or cold
- ✓ Longest, hassle-free warranty in the business
- Perfect fit for any coach, even those extra tall Class A and 5th wheel models
- Best cover features-most durable and lightweight RV covers make installation a breeze

PermaPRO™ RV Covers

- → Extra strength PermaPRO[™] ripstop fabric
- → Air vent system
- → Adjustable front/rear tension panels
- → Elasticized hem corners
- → Zippered panel RV door access

- → Long zipper pulls
- → Integrated undercarriage strap system
- Weighted toss bag system
- Tension panels
- → Zippered expandable storage bag
























100% WOVEN POLYESTER RIPSTOP

Tear-resistant Water-repellent Bird dropping protection Dirt, dust and scratch protection UV protection Snow protection























PermaPRO™ Class A RV Cover

MFG #	FITS/DESCRIPTION
80-142-151001-00	MODEL 2: Fits Class A RVs 20'-24' L, 122" Max H
80-328-161001-RT	MODEL 3T: Fits Class A RVs 24'-28' L, 125" Max H
80-329-171001-RT	MODEL 4T: Fits Class A RVs 28'-30' L, 130" Max H
80-330-181001-RT	MODEL 5T: Fits Class A RVs 30'-33' L, 130" Max H
80-331-191001-RT	MODEL 6T: Fits Class A RVs 33'-37' L, 135" Max H
80-184-201001-00	MODEL 7XT: Fits Class A RVs 37'-40' L, 140" Max H
80-333-211001-RT	MODEL 8XT: Fits Class A RVs 40'-42' L, 140" Max H















PermaPRO™ Class B RV Cover

MFG #	FITS/DESCRIPTION
80-411-141001-RT	MODEL 1: Fits Class B RVs up to 20' L, 117" Max H
80-412-151001-RT	MODEL 2: Fits Class B RVs 20'-23' L, 117" Max H
80-413-161001-RT	MODEL 3: Fits Class B RVs 23'-25' L, 117" Max H
80-414-171001-RT	MODEL 4: Fits Class B RVs 25'-27' L, 117" Max H
80-415-161001-RT	MODEL 3T: Fits Class B RVs 23'-25' L, 128" Max H
80-416-171001-RT	MODEL 4T: Fits Class B RVs 25'–27' L, 128" Max H

















PermaPRO™ Class C RV Cover

MFG #	FITS/DESCRIPTION
80-127-141001-00	MODEL 1: Fits Class C RVs up to 20' L, 122" Max H
80-128-151001-00	MODEL 2: Fits Class C RVs 20'-23' L, 122" Max H
80-129-161001-00	MODEL 3: Fits Class C RVs 23'–26' L, 122" Max H
80-130-171001-00	MODEL 4: Fits Class C RVs 26'-29' L, 122" Max H
80-131-181001-00	MODEL 5: Fits Class C RVs 29'-32' L, 122" Max H
80-314-191001-RT	MODEL 6T: Fits Class C RVs 32'-35' L, 125" Max H
80-315-201001-RT	MODEL 7T: Fits Class C RVs 35'-38' L, 135" Max H



















PermaPRO™ Camper Cover

	·
MFG #	FITS/DESCRIPTION
80-258-141001-00	MODEL 1: Fits Campers 8'-10' L
80-259-151001-00	MODEL 2: Fits Campers 10'-12' L & Lance* 1172 and 1191



















PermaPRO™ 5th Wheel and Toy Hauler Cover

MFG #	FITS/DESCRIPTION
80-121-141001-00	MODEL 1: Fits 5th Wheels and Toy Haulers 20'-23' L, 122" Max H
80-122-151001-00	MODEL 2: Fits 5th Wheel and Toy Haulers 23'-26' L, 122" Max H
80-317-161001-RT	MODEL 3T: Fits 5th Wheel and Toy Haulers 26'-29' L, 130" Max H
80-318-171001-RT	MODEL 4T: Fits 5th Wheel and Toy Haulers 29'-33' L, 135" Max H
80-319-181001-RT	MODEL 5T: Fits 5th Wheel and Toy Haulers s 33'-37' L, 135" Max H
80-187-191001-00	MODEL 6XT: Fits 5th Wheel and Toy Haulers 37'-41' L, 140" Max H
80-299-203101-RT	MODEL 7XT: Fits 5th Wheel and Toy Haulers 41'-44' L, 140" Max H





















	3 . 3
MFG #	FITS/DESCRIPTION
80-400-301001-RT	MODEL 0: Fits Folding Camper Trailers up to 8'-6' L*
80-401-141001-RT	MODEL 1: Fits Folding Camper Trailers 8'-10' L*
80-402-151001-RT	MODEL 2: Fits Folding Camper Trailers 10'-12' L*
80-403-161001-RT	MODEL 3: Fits Folding Camper Trailers 12'-14' L*
80-404-171001-RT	MODEL 4: Fits Folding Camper Trailers 14'-16' L*
80-405-181001-RT	MODEL 5: Fits Folding Camper Trailers 16'-18' L*
80-406-191001-RT	MODEL 6: Fits Folding Camper Trailers 18'-20' L*

^{*}FIT DIMENSIONS include only the Trailer Body, tow hitch not included















8

PermaPRO™ R.POD Travel Trailer Cover

MFG #	FITS/DESCRIPTION
80-255-151001-00	MODEL 2: Fits R•POD Travel Trailers up to 16'2" L*
80-256-161001-00	MODEL 3: Fits R•POD Travel Trailers up to 17'7" L*
80-257-171001-00	MODEL 4: Fits R•POD Travel Trailers up 17'7" L*

^{*}R•POD is a brand name of Forest River Inc.



















PermaPRO™ Molded Fiberglass Travel Trailer Cover

MFG #	FITS/DESCRIPTION
80-407-141001-RT	MODEL 1: Fits Molded Fiberglass Travel Trailers 8'-10' L*
80-408-151001-RT	MODEL 2: Fits Molded Fiberglass Travel Trailers 10'1"-13' L*
	80-407-141001-RT

^{*}FIT DIMENSIONS include only the Trailer Body, tow hitch not included



















PermaPRO™ Teardrop Trailer Cover

	·
MFG #	FITS/DESCRIPTION
80-397-141001-RT	MODEL 1: Fits Teardrop Travel Trailers up to 8' L*, 5' W
80-398-151001-RT	MODEL 2: Fits Teardrop Travel Trailers up to 8'-10' L*, 5' W
80-399-161001-RT	MODEL 3: Fits T@B & Clam Shell 10'-12' L*, 6' W

 $^{^*\}mbox{FIT DIMENSIONS}$ include only the Trailer Body, tow hitch not included

^{*}T@B is a registered trademark of Pleasant Valley Teardrop Trailers



















PermaPRO™ Travel Trailer and Toy Hauler Cover

MFG #	FITS/DESCRIPTION
80-321-301001-RT	MODEL O: Fits Travel Trailers and Toy Haulers 15'-18' L, 114" Max H
80-134-141001-00	MODEL 1: Fits Travel Trailers and Toy Haulers 18'-20' L, 118" Max H
80-135-151001-00	MODEL 2: Fits Travel Trailers and Toy Haulers 20'-22' L, 118" Max H
80-136-161001-00	MODEL 3: Fits Travel Trailers and Toy Haulers 22'-24' L, 118" Max H
80-137-171001-00	MODEL 4: Fits Travel Trailers and Toy Haulers 24'-27' L, 118" Max H
80-138-181001-00	MODEL 5: Fits Travel Trailers and Toy Haulers 27'-30' L, 118" Max H
80-139-191001-00	MODEL 6: Fits Travel Trailers and Toy Haulers 30'-33' L, 118" Max H
80-325-201001-RT	MODEL 7T: Fits Travel Trailers and Toy Haulers 33'-35' L, 124" Max H
80-326-211001-RT	MODEL 8T: Fits Travel Trailers and Toy Haulers 35'-38' L, 124" Max H
80-327-221001-RT	MODEL 9T: Fits Travel Trailers and Toy Haulers 38'-40' L, 124" Max H

 $^{^*\}mbox{FIT}$ DIMENSIONS include only the Trailer Body, tow hitch not included

Why Choose Classic Accessories RV Covers?

- ☑ Protects against all the elements-rain, sun, wind, snow, hot or cold
- ✓ Longest, hassle-free warranty in the business
- Perfect fit for any coach, even those extra tall Class A and 5th wheel models
- Best cover features—most durable and lightweight RV covers make installation a breeze

PolyPRO™3 RV Covers

- → Tough, triple-ply PolyPRO[™]3 top
- → Breathable single-ply PolyPRO™1 sides
- → Air vent system
- → Adjustable front and rear tension panels
- → Integrated rope system and toss bag
- → Zippered RV door panels
- → Stuff sack and a ladder cap

VACUUM PACKED
FOR A 30% SMALLER RETAIL BOX





















PolyPRO™1 Fabric (sides of cover)
1-PLY / NON-WOVEN POLYPROPYLENE

Dirt, dust and scratch protection UV protection Snow protection



















PolyPRO™3 Class A RV Cover

•	
MFG #	FITS/DESCRIPTION
70263	MODEL 2: Fits Class A RVs 20'-24' L, 122" Max H
80-334-163101-RT	MODEL 3T: Fits Class A RVs 24'–28' L, 125" Max H
80-335-173101-RT	MODEL 4T: Fits Class A RVs 28'-30' L, 130" Max H
80-336-183101-RT	MODEL 5T: Fits Class A RVs 30'-33' L, 130" Max H
80-337-193101-RT	MODEL 6T: Fits Class A RVs 33'-37' L, 135" Max H
77763	MODEL 7XT: Fits Class A RVs 37'-40' L, 140" Max H
77863	MODEL 8XT: Fits Class A RVs 40'-42' L, 140" Max H

















PolyPRO™3 Class B RV Cover

MFG #	FITS/DESCRIPTION
80-103-141001-00	MODEL 1: Fits Class B RVs up to 20' L, 117" Max H
80-104-151001-00	MODEL 2: Fits Class B RVs 20'-23' L, 117" Max H
80-105-161001-00	MODEL 3: Fits Class B RVs 23'-25' L, 117" Max H
80-106-171001-00	MODEL 4: Fits Class B RVs 25'-27' L, 117" Max H
80-394-163101-RT	MODEL 3T: Fits Class B RVs 23'-25' L, 128" Max H
80-395-173101-RT	MODEL 4T: Fits Class B RVs 25'-27' L, 128" Max H



















PolyPRO™3 Class C RV Cover

MFG #	FITS/DESCRIPTION
79263	MODEL 2: Fits Class C RVs 20'-23' L, 122" Max H
79363	MODEL 3: Fits Class C RVs 23'-26' L, 122" Max H
79463	MODEL 4: Fits Class C RVs 26'-29' L, 122" Max H
79563	MODEL 5: Fits Class C RVs 29'-32' L, 122" Max H
80-344-193101-RT	MODEL 6T: Fits Class C RVs 32'-35' L, 125" Max H
80-345-203101-RT	MODEL 7T: Fits Class C RVs 35'-38' L, 135" Max H

















PolyPRO[™]3 Camper Cover

_	
MFG #	FITS/DESCRIPTION
80-396-301001-RT	MODEL 0: Fits Campers 6'-8' L
80-036-143101-00	MODEL 1: Fits Campers 8'-10' L
80-037-153101-00	MODEL 2: Fits Campers 10'-12' L & Lance* 1172 and 1191

^{*}Lance is a brand name of Lance Camper Manufacturing Corporation



















PolyPRO™3 Travel Trailer and Toy Hauler Cover

MFG #	FITS/DESCRIPTION
80-351-303001-RT	MODEL 0: Fits Travel Trailers and Toy Haulers 15'-18' L, 114" Max H
73163	MODEL 1: Fits Travel Trailers and Toy Haulers 18'-20' L, 118" Max H
73263	MODEL 2: Fits Travel Trailers and Toy Haulers 20'-22' L, 118" Max H
73363	MODEL 3: Fits Travel Trailers and Toy Haulers 22'-24' L, 118" Max H
73463	MODEL 4: Fits Travel Trailers and Toy Haulers 24'-27' L, 118" Max H
73563	MODEL 5: Fits Travel Trailers and Toy Haulers 27'-30' L, 118" Max H
73663	MODEL 6: Fits Travel Trailers and Toy Haulers 30'-33' L, 118" Max H
80-355-203101-RT	MODEL 7T: Fits Travel Trailers and Toy Haulers 33'-35' L, 124" Max H
80-356-213101-RT	MODEL 8T: Fits Travel Trailers and Toy Haulers 35'-38' L, 124" Max H
80-357-223101-RT	MODEL 9T: Fits Travel Trailers and Toy Haulers 38'-40' L, 124" Max H



















PolvPRO™3 5th Wheel and Tov Hauler Cover

1 oly 1 to 3 still whiter and 1 oy madici cover	
MFG #	FITS/DESCRIPTION
75263	MODEL 1: Fits 5th Wheels and Toy Haulers 20'-23' L, 122" Max H
75363	MODEL 2: Fits 5th Wheels and Toy Haulers 23'-26' L, 122" Max H
80-347-163101-RT	MODEL 3T: Fits 5th Wheels and Toy Haulers 26'-29' L, 130" Max H
80-348-173101-RT	MODEL 4T: Fits 5th Wheels and Toy Haulers 29'-33' L, 135" Max H
80-349-183101-RT	MODEL 5T: Fits 5th Wheels and Toy Haulers 33'-37' L, 135" Max H
75063	MODEL 6XT: Fits 5th Wheels and Toy Haulers 37'-41' L, 140" Max H
80-300-203101-RT	MODEL 7XT: Fits 5th Wheels and Toy Haulers 41'-44' L, 140" Max H













PolyPRO™3 R•POD Travel Trailer Cover



^{*}R•POD is a brand name of Forest River Inc.

















PolvPRO™3 Molded Fiberglass Travel Trailer Cover

J	
MFG #	FITS/DESCRIPTION
80-294-143101-RT	MODEL 1: 8'-10' L*
80-295-153101-RT	MODEL 2: 10'1"-13' L*
80-409-161001-RT	MODEL 3: 13'1"-16' L*

 $^{^*\}mbox{FIT}$ DIMENSIONS include only the Trailer Body, tow hitch not included















PolyPRO™3 Teardrop Trailer Cover

MFG #	FITS/DESCRIPTION
80-296-143101-RT	MODEL 1: Fits R•POD Travel Trailers up to 8' L, 5' W*
80-297-153101-RT	MODEL 2: Fits R•POD Travel Trailers 8'-10' L, 5' W*
80-298-163101-RT	MODEL 3: Fits T@B & Clam Shell 10'-12' L, 6' W*
	80-296-143101-RT 80-297-153101-RT

^{*}FIT DIMENSIONS include only the Trailer Body, tow hitch not included

T@B is a registered trademark of Pleasant Valley Teardrop Trailers



















PolyPRO™3 Folding Camping Trailer Cover

MFG #	FITS/DESCRIPTION
80-209-303101-00	MODEL 0: Fits Folding Travel Trailers up to 8'-6' L*
80-038-143106-00	MODEL 1: Fits Folding Travel Trailers 8'-10' L*
80-039-153106-00	MODEL 2: Fits Folding Travel Trailers 10'-12' L*
80-040-163106-00	MODEL 3: Fits Folding Travel Trailers 12'-14' L*
80-041-173106-00	MODEL 4: Fits Folding Travel Trailers 14'-16' L*
80-042-183106-00	MODEL 5: Fits Folding Travel Trailers 16'-18' L*
80-043-193106-00	MODEL 6: Fits Folding Travel Trailers 18'-20' L*

^{*}FIT DIMENSIONS include only the Trailer Body, tow hitch not included

^{*}FIT DIMENSIONS include only the Trailer Body, tow hitch not included



COLOR: SNOW WHITE









Custom Fit Spare Tire Cover

MFG #	FITS/DESCRIPTION	
75100	MODEL 1: 21"–22" Wheel Diameter	
75110	MODEL 2: 24"-25" Wheel Diameter	
75120	DEL 3: 25.5"–26.5" Wheel Diameter	
75130	ODEL 4: 26.75"–27.75" Wheel Diameter	
75140	ODEL 5: 28"-29" Wheel Diameter	
75150	ODEL 6: 29"-29.75" Wheel Diameter	
75160	MODEL 7: 30"-30.75" Wheel Diameter	
75170	MODEL 8: 31"-31.75" Wheel Diameter	

PACKAGE CONTAINS ONE COVER



COLORS: SNOW WHITE AND BLACK









Universal Fit Spare Tire Cover

	•	
MFG #	FITS/DESCRIPTION	COLOR
80-217-022301-00	SMALL: 26.75"-29.75" Wheel Diameter	SNOW WHITE
75347	SMALL: 26.75"-29.75" Wheel Diameter	BLACK
80-218-042301-00	LARGE: 30"-33" Wheel Diameter	SNOW WHITE
75387	LARGE: 30"-33" Wheel Diameter	` . BLACK



COLOR: SNOW WHITE









RV Deluxe Wheel Covers

MFG #	FITS/DESCRIPTION	
80-220-142302-00	MODEL 1: Fits 21"-24" Wheel Diameter, 8.25" Tire Width	
80-221-152302-00	40DEL 2: Fits 24"-27" Wheel Diameter, 8.5" Tire Width	
80-222-162302-00	MODEL 3: Fits 27"-30" Wheel Diameter, 8.75" Tire Width	
80-223-172302-00	MODEL 4: Fits 30"-33" Wheel Diameter, 9" Tire Width	
80-224-182302-00	MODEL 5: Fits 33"-36" Wheel Diameter, 9" Tire Width	
80-225-192302-00	MODEL 6: Fits 37"-41" (Bus) Wheel Diameter, 9.25" Tire Width	








COLORS: SNOW WHITE, GREY AND BLACK

RV Wheel Covers



PACKAGE CONTAINS ONE COVER











COLOR: GREY

REY











Toy Haule	er Screen	KANIY	ACCESS	CLOSURE	MAGNETIC LATCHES	REQUIRE
MFG #	FITS/DESCRIPTION					
79984	Fits Toy Haulers with rear opening up to 90.5" H Compatible with fiberglass or aluminum frames	r	ip-n-grip	attachme	nt	
79994	Fits Toy Haulers with rear opening up to 90.5" H Compatible with steel frames	n	nagnetic	attachmei	nt	
*Positively Unique, You-Nique Magnetic RV Screen, Patented 6,257,307.						



COLORS: ALDER/NATURAL AND GREY

RV Captain Seat Cover












MFG #	FITS/DESCRIPTION	COLOR
80-112-012401-00	Fits most RV captain-style seats	ALDER/NATURAL
80-421-011002-RT	Fits most RV captain-style seats	GREY



COLOR: BLACK

RV Sway Bar Hitch Tote





COLORS: BLACK AND GREY











MFG # FITS/DESCRIPTION COLOR
80-116-010401-00 Puck style hitches 34" W 24" D BLACK



COLORS: SNOW WHITE, GREY AND BLACK

3 YEAR



UV

RV Dual Axle Wheel Covers

MFG #	FITS/DESCRIPTION	COLOR
80-109-022801-00	SMALL: UP TO 27" WHEEL DIAMETER, 8" TIRE WIDTH	SNOW WHITE
80-107-021001-00	SMALL: UP TO 27" WHEEL DIAMETER, 8" TIRE WIDTH	GREY
80-242-020402-00	SMALL: UP TO 27" WHEEL DIAMETER, 8" TIRE WIDTH	BLACK
80-110-042801-00	LARGE: 27"-30" WHEEL DIAMETER, 8" TIRE WIDTH	SNOW WHITE
80-108-041001-00	LARGE: 27"-30" WHEEL DIAMETER, 8" TIRE WIDTH	GREY
80-243-040402-00	LARGE: 27"-30" WHEEL DIAMETER, 8" TIRE WIDTH	BLACK
80-211-052801-00	X LARGE: 30"-33" WHEEL DIAMETER, 8" TIRE WIDTH	SNOW WHITE
80-210-051001-00	X LARGE: 30"-33" WHEEL DIAMETER, 8" TIRE WIDTH	GREY
80-244-050402-00	X LARGE: 30"-33" WHEEL DIAMETER, 8" TIRE WIDTH	BLACK

PACKAGE CONTAINS ONE COVER









COLORS: SNOW WHITE, GREY AND BLACK

RV AC Cover

IN AC COVE		
MFG #	FITS/DESCRIPTION COLOR	
77410	MODEL 1: Coleman® Mach I, II, III, Mach 3 Plus, Mach 15, Roughneck & TSR	SNOW WHITE
80-231-140401-00	MODEL 1: Coleman® Mach I, II, III, Mach 3 Plus, Mach 15, Roughneck & TSR	BLACK
77420	MODEL 2: Fits Duo-Therm® Briskair & Quick Cool	SNOW WHITE
80-226-192301-00	MODEL 6: Fits Dometic Brisk II®	SNOW WHITE
80-227-191001-00	MODEL 6: Fits Dometic Brisk II®	GREY
80-234-190401-00	MODEL 6: Fits Dometic Brisk II®	BLACK
80-251-212801-00	MODEL 8: Fits Coleman® Mach 8	SNOW WHITE

PACKAGE CONTAINS ONE COVER



COLORS: SNOW WHITE AND GREY

RV Tank Cover

WARRANTY	HEAVY-DUTY PROTECTION	PROTECTION
		COLOR
		SNOW V

MFG #	FITS/DESCRIPTION	COLOR
79720	MODEL 2: Fits double 20/5 gallon	SNOW WHITE
80-099-141001-00	MODEL 2: Fits double 20/5 gallon	GREY
79730	MODEL 3: Fits double 30/7.5 gallon	SNOW WHITE
80-100-151001-00	MODEL 3: Fits double 30/7.5 gallon	GREY

PACKAGE CONTAINS ONE COVER

*Storage or parking use—not for use while trailering



RV COVER POP

by CLASSIC ACCESSORIES


RV POP DISPLAY

DESIGNED BY CLASSIC ACCESSORIES

RV Cover POP This display can be installed easily and showcases our Good, Better, and Best collections of covers for every class of RV at every price range with actual fabric swatches and collection features, making it easier than ever for a quick sale. The display also comes in a dual language French/English version.


PermaPRO™ Fabric

100% WOVEN POLYESTER RIPSTOP



PolyPRO™ 3 Fabric

3-PLY/1 PLY NON-WOVEN POLYPROPYLENE





Power Inlets

ParkPower® Power Inlets are the industry standard. Offered in three styles, they all feature robust construction and corrosion-resistant materials for long life in the harsh environments. Each has technical features that make them easy to install and a pleasure to use.

- Easy Lock™—ParkPower's exclusive Easy Lock™ System has been designed to connect the cordset (with an Easy Lock™ sealing ring installed) to the inlet and turn the locking ring less than a quarter turn. The tabs on the locking ring lock into the inlet for a positive watertight hook-up while eliminating any chance of cross threading. Easy Lock™ inlets have a threaded boss that will accept standard threaded cordsets as well.
- The covers on all ParkPower inlets are designed to stay hinged open when the cover is lifted up. This allows the RV'er to connect their detachable power cord while the cover remains open and out of the way. A soft touch unlocks it for closing.
- Blades are nickel plated brass for maximum corrosion resistance.
- · Interior hardware is high grade stainless steel.
- IMPROVED Extra large tab provides more area to simplify opening and closing.
- IMPROVED Rear Enclosure
 - Made of flame-resistant UL94V0 plastic
 - All rear enclosures are glass-filled polyester for strength
 - Integral strain relief
 - Multiple positions allow for maximum installation flexibility





301ELRV



Cordsets

All ParkPower® Cordsets are made of the highest quality construction with features you won't find on other power cords.

- · Watertight molded plug and connector for safety and durability
- Heavy duty, super flexible marine-grade cable (30 amp 10 gauge, 50 amp 6 gauge)
- All models include a standard threaded ring for hook-up to ordinary threaded inlets
- · Durable, bend resistant contacts
- Power Indicator Light: RV side connector features a molded-in LED light. When it glows red, you know you have power to the RV.
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 11 o'clock position, the blades line up for easy connection.
- Swivel Head Handle: Large Grip Swivel handle allows box cover to close. Keeps hand away from dangerous high voltage contacts. Easier to insert and remove electrical plug. Meets and exceeds rigorous UL testing standards.
- ParkPower's Easy Lock™ System: quickly locks the cord set to the inlet in just 1/8 of a turn. The tabs on the locking ring lock into the inlet for a positive watertight hookup. The exclusive locking tabs engage slots built into all ParkPower inlets. (sold separately)















PARK SIDE

gray



30A 125V 2-Pole, 3-Wire RV Use Only

box



RV SIDE



30A 125V Locking





25SPPG.RV



6152SPPRV-25



15 Amp & 20 Amp 125V Power Inlets



15 Amp Power Inlet

• UV resistant housing and cap

150BBI.RV 150BBIW.RV

white

15A 125V Straight-Blade



20 Amp Power Inlet

• UV resistant housing and cap

200BBI.RV 200BBIW.RV

black white



20A 125V Straight-Blade

TV & HDMI Inlet

TV & HDMI Inlet provides HDMI and cable TV connectors in one housing, reducing space on the RV. This inlet is designed with all the same features common in ParkPower inlets, such as UV stabilized glass-filled polyester construction for long-lasting strength and a soft touch cover.

- Soft touch covers are designed to stay hinged open when the cover is lifted up. A soft touch unlocks it for closing.
- Extra large tab provides more area to simplify opening and closing



15A Marine Grade Locking Extension Cords

- Clear ends with lighted female end for visual power indication
- 14/3 marine grade SJTOW cable
- Female end contains slide button lock for protection against cable disconnection
- Slide button lock compatible with all other manufacturers' products
- ETL certified to UL standards

150025RV 25' 150050RV 50'





Generator Adapters

ParkPower® RV Generator Adapters allow you to connect a standard RV cordset to different types of electrical receptacles on portable generators. We offer a variety of RV generator adapters, so you can stay connected when power is needed most.



GENERATOR SIDE

MALE PLUG

Attaches to pedestal receptacle or cordset



20A 125/250V 4-Prong Locking



30A 125V Locking

RV SIDE

FEMALE SIDE

Attaches to RV inlet or cordset



30A 125V RV Use Only



30A 125V RV Use Only

Dogbone Adapters

Extra wide grip handle and 10/3 outdoor use hard-service cable.



PARK SIDE

MALE PLUG

Attaches to pedestal receptacle or cordset



15A 125V Straight-Blade



30A 125/250V 2-Pole, 3-Wire RV Use Only



5030ARV

50A 125/250V 3-Pole, 4-Wire

RV SIDE

FEMALE SIDE

Attaches to RV inlet or cordset



30A 125V RV Use Only



50A 125/250V 3-Pole, 4-Wire



30A 125V RV Use Only

Replacement Plugs & Connectors

5 YEAR WARRANTY



Replacement Plug

- Designed for use with 10 gauge, 30 amp RV cable
- Meets NEMA standard TT-30P

30MPRV



Replacement Connector

- Designed for use with 10 gauge, 30 amp RV cable
- Meets NEMA standard TT-30R

30FCRV



Replacement Plug

- Designed for use with 6 gauge, 50 amp RV cable
- Meets NEMA standard 14-50P

50MPRV



Replacement Connector

- Designed for use with 6 gauge, 50 amp RV cable
- Meets NEMA standard 14-50R

50FCRV

50A 125/250V

Plugs, Connectors & Accessories

5 YEAR WARRANTY







Female Connector

305CRV



Female Connector

• 3 pole, 4 wire 6364CRV

Connector Cover Kits

ParkPower connector and weatherproof boot kits contain everything needed to replace a female connector on a detachable power cord. The boot creates a weatherproof seal on the connector while the threaded ring creates a weatherproof seal once connected to an inlet. The kits are easy to install using the included instructions.



Connector Cover Kit

Weather resistant cover
 305CRV.VPK



Connector Cover Kit

• Weather resistant cover 6364CRV.VPK



30GOA



50GOA

Go Anywhere™ Kits

Kits contain two adapters that allow detachable power users the flexibility to connect to the most common power pedestals. By purchasing one kit, 30A users can connect to 15A and 50A pedestals, while 50A users can connect to 15A and 30A pedestals.

30GOA 30A Kit **50GOA** 50A Kit

ParkPower by Marinco



701HBRV

Battery Master Switches

Continuous Rating: 275A DC Intermittent Rating: 455A DC Cranking Rating: 1250A DC Voltage Rating: 48V DC Operation: On-Off

Mounting: Recessed or Surface Removable knob in "Off" position

701CHRV Chassis battery701HBRV House battery



Easyfit™ Battery Switch

Can be installed through varying thicknesses

of panels. 7/8" hole.

Continuous Rating: 275A DC Intermittent Rating: 455A DC Cranking Rating: 1250A DC Voltage Rating: 48V DC Operation: On-Off

Mounting: Recessed or Surface Removable knob in "Off" position

700RV



Heavy-Duty Disconnect Switch

Continuous Rating: 600A DC Intermittent Rating: 800A DC Cranking Rating: 2500A DC Voltage Rating: 48V DC Operation: On-Off

Mounting: Recessed or Surface

720RV



Deluxe Dual USB Chargers and 12V Receptacle

- Water resistant—covers protect against dust and water
- Includes insulated terminals for easy installation

Dual USB:

- 12V DC input
- 5V, 2.1A total output
- LED to indicate there is power to the USB

Receptacles:

- 12V DC input
- 12V DC output, rated up to 20A

12VCOMBORV Combo 12VDUSBRV USB



12V Receptacle & Plugs

Interconnecting 12V system securely locks the plug into the receptacle, resulting in a positive, moisture proof connection.

Corrosion resistant, optimized metal connection points for maximum conductivity.

12VPKRV Receptacle & Plug 12VPCRV Receptacle 12VPGRV Plug



On Board Solutions

TruePower Plus Inverters

Designed to convert 12V DC battery power to 115V AC and will automatically pass through AC Inlet power when present. Features including; Innovative dual color digital LCD message center, dual color gauges for AC power output and battery DC input, USB power port, GFCI convenience outlets, DC cable covers, and separate on/off remote.

Pure Sine Wave

07100 1000W **07200** 2000W

For over 20 years, Progressive Industries has been dedicated to protecting your RV from faulty electrical conditions. All Progressive Industries' Surge Protectors detect and/or protect from poor and/or unsafe electrical conditions such as: open ground, open neutral and reverse polarity. Designed to protect RV electronics from power surges by absorbing the surge and indicating the product has been compromised.



PORTABLE SURGE PROTECTORS

Portable Smart Surge Protectors (SSP)

Progressive Industries Smart Surge Protectors (SSP) are portable surge protectors with the added benefit of a built in polarity protector that checks the status of the power source prior to use - providing an extra level of protection. The compact footprint and intuitive design simplifies storage and usage.

- Open ground, open neutral & reverse polarity detection
- Mis-wired pedestal indication
- Surge failure indicator
- Thermally protected
- Brighter 3-color LED indicators
- · Rugged pull handle
- Weather resistant /designed for outdoor use

Includes All Weather Shield*

SSP-30XL 30A, 120V, 3,600W SSP-50XL 50A, 120/240V, 12,000W

SSP-30XL & SSP-50XL models include:

- · All weather shield assembly with tough Lexan housing
- · Cable splash-up guard
- Security locking bracket

Surge ratings:

- 30A: 22,500A max spike / 825 joules
- 50A: 45,000A max spike / 1,650 joule



EMS Portable Surge Protectors

Progressive Industries' portable Electrical Management System (EMS) protects your RV from incorrectly wired shore power, voltage fluctuations and numerous other problems that can cause damage to RV electronics.

- Open ground, open neutral & reverse polarity detection and protection
- High and low voltage protection (Low <104, High 123>)
- A/C frequency protection
- Time delay (136 seconds)
- Current indication
- Previous error code (PE)
- Surge failure indicator
- All weather shield assembly with tough Lexan housing
- Security locking bracket
- Thermally protected
- · Rugged pull handle
- Built-in scrolling digital display
- Weather resistant /designed for outdoor use

Surge ratings:

- 30A: 44,000A max spike / 1,790 joules
- 50A: 88,000A max spike / 3,580 joule

EMS-PT30X 30A, 120V, 3,600W EMS-PT50X 50A, 120/240V, 12,000W





EMS-PT30X



Portable Surge Protector Kits NEW

Portable Surge Protector Kits contain a separate receptacle tester to detect wiring faults at the pedestal and surge module to attach to the detachable power cord. Separating the two functions reduces the size of the product while increasing protection from inclement weather. Kit contains receptacle tester and surge module.



RV Surge Modules NEW

RV Surge Modules attach to the detachable power cord to provide surge protection. The compact size increases protection from inclement weather. Contains surge protection indicator alerting user when depleted.

Surge module ratings:

- 30A: 22,500A max spike / 1,100 joules
- 50A: 45,000A max spike / 2,030 joules

RRT-30



RRT-50

RV Receptacle Testers NEW

RV Receptacle Testers detect wiring faults at the pedestal, including open ground, open neutral, open hot, hot/neutral reversed and hot/ground reversed. Includes swivel handle for easy removal from the pedestal.

Resettable Circuit Breaker Adapter NEW

50A RV male to (2) 15A female Resettable Circuit Breaker Adapter provides 2 resettable 15A receptacles from a 50A pedestal. This adapter is designed for 30A RV users that do not want to draw additional CBA-5015 power from their 30A or 15A service which may trip breakers at the pedestal. Each 15A receptacle is wired independently to an illuminated circuit breaker making it the safest and easiest to use solution for additional 15A power. The compact design allows the electrical box to close and makes it optimal for use with power strips and extension cords.

HARDWIRED SURGE PROTECTORS

Permanently installed on the vehicle

- Always available after installation
- Protected from outdoor conditions



EMS Hardwired Surge Protectors

Progressive Industries' hardwired Electrical Management System (EMS) protects your RV from incorrectly wired shore power, voltage fluctuations and numerous other problems that can cause damage to RV electronics.

- Over/Under voltage protection
- Open ground, open neutral & reverse polarity protection
- · High and low voltage protection (Low <104, High 123>)
- Current indication
- · Previous error code
- A/C frequency protection

Remote Digital Display 30A, 120V, 3,600W EMS-HW30C EMS-HW50C 50A, 240V, 12,000W

- (2) Adjustable time delay settings
- · Remote digital display (HW50C & HW30C models only)
- · Built-in digital display (LCHW50 & LCHW30 models only)
- Field serviceable
- UL certified and meets CSA standards

Built-in Digital Display

EMS-LCHW30C 30A, 120V, 3,600W EMS-LCHW50C 50A, 240V, 12,000W



IGNITION PROTECTED

Blue Sea Systems was founded in 1992 based on a commitment to create innovative, high quality electrical products to improve the safety, simplicity, and reliability of equipment. Since that time the range of product has expanded to over 1,000 items and distributed to customers in over 50 countries to Marine, RV, Industrial and Specialty Vehicle markets. The company is committed to offering quality products that are engineered for harsh environments, built to last, with a guarantee of satisfaction and industry leading technical support.

Battery Switches

IGNITION

Single Circuit On-Off. Switches a single battery to a single load group.

	M-Series	HD Series
	6006-BSS,	
	6006200-BSS	3000-BSS
Cranking Rating: 30 sec.	900A	1,750A
Intermittent Rating: 5 min.	500A	900A
Continuous Rating	300A	600A
Voltage Max. Operating	48V DC	32V DC



ML-Series Remote Battery Switch

500A magnetic latching switch provides high amperage switching under load, manually or from remote locations


Terminal Stud Size
3/8"-16 (M10)
Maximum Terminal Stud Torque
140 in-lb (15.8 N·m)
Cable Size (to meet current ratings)
4/0 AWG (120mm²)
Terminal Ring Diameter Clearance
1.12" (28.4 mm)



Marine Grade Short Stop Circuit Breakers

Use a circuit breaker instead of a fuse

• Designed with corrosion resistant materials to withstand harsh environments



- Push-to-reset operation only disconnects when tripped
- Stainless steel nyloc nuts for secure connections
- Red insulating boot included in retail package only

Interrupting Capacity	2,500A @ 28V DC
Voltage Max. Operating	28V DC
Temperature Min. Operating	-10°C
Temperature Max. Operating	60°C
Туре	Thermal trip, manual reset
Terminals	#10-32" Studs
Screw Terminal Torque	24 in-lb max.
Trip Time Delay	See bluesea.com

Part #	Amps	Part #	Amps
7151	10A DC	7155	30A DC
7152	15A DC	7156	40A DC
7153	20A DC	7157	50A DC
7154	25A DC	7160	Insulating Boot

ANL® Fuse Blocks

Accepts a wide range of ANL fuse amperages for versatile fusing



	5503-BSS	5005-BSS
Voltage Max. Operating	32V DC	32V DC
Terminal Stud Size	5/16"-18 (M8)	5/16"-18 (M8)
Cable Size	Up to 4/0 AWG	Up to 2/0 AWG
Fuse Mounting Blocks	Tin-Plated Copper	Tin-Plated Copper
ANL Fuses Available	35-750 Amps	35-300 Amps

ANL Fuses

For 35A to 750A circuit protection



Interrupting Capacity 6,000A @ 32V DC			
Voltage Max	. Operatin	g 32V DC	
Part #	Amps	Part #	Amps
5164-BSS	35A	5131-BSS	250A
5165-BSS	40A	5133-BSS	300A
5122-BSS	50A	5131-BSS	250A
5123-BSS	60A	5133-BSS	300A
5124-BSS	80A	5135-BSS	350A
5125-BSS	100A	5136-BSS	400A
5126-BSS	130A	5137-BSS	500A
5127-BSS	150A	5161-BSS*	600A
5128-BSS	175A	5163-BSS*	750A
5129-BSS	200A	*Not Ignition	Protecte

MRBF Terminal Fuse Blocks MRBF—Marine Rated Battery Fuse

Satisfies ABYC 7" circuit protection rule by mounting on a 3/8" battery post, battery



5191-BSS	2151-B

Part #	Terminal Stud Size	Mounting	Fuses
Terminal F	uses Available	30-300 A	Amps
Amperage	Max. Operating	300A	
Voltage Ma	x. Operating	58V DC	

Part #	Terminal Stud Size	Mounting	Fuses
5191-BSS	M8 (5/16"-18)	3/8"	1
2151-BSS	M8 (5/16"-18)	3/8"	2

MRBF Fuses

Space-saving ignition protected fuse for 30A to 300A loads. Color-coded for easy identification. Visible indication of blown condition.



Part #	Amps	Color	Part #	Amps	Color
5175-BSS	30A	LT Green	5187-BSS	200A	Blue
5176-BSS	40A	LT Blue	5189-BSS	250A	Pink
5177-BSS	50A	Red	5190-BSS	300A	Gray
5178-BSS	60A	Gold	5183-BSS	100A	Yellow
5180-BSS	75A	Brown	5184-BSS	125A	Green
5181-BSS	80A	Lime	5185-BSS	150A	Orange
5182-BSS	90A	Purple	5186-BSS	175A	White
5183-BSS	100A	Yellow	5187-BSS	200A	Blue
5184-BSS	125A	Green	5189-BSS	250A	Pink
5185-BSS	150A	Orange	5190-BSS	300A	Gray
5186-BSS	175A	White			

Class-T Fuse Block

Allows the use of Class-T fuses for fast acting circuit protection of inverters and other electronics



Voltage Max. Operating	160V DC
Mounting	1/4" (M6) Screws
Fuse Mounting Blocks	Tin-Plated Copper

Class-T Fuses

High interrupt capacity for large battery banks including Lithium-Ion and TPPL batteries



Interrupting Capacity		20,000A @ 125V DC	
Voltage Max. Operating		125V DC	
Part #	Amps	Part #	Amps
5117-BSS	225A	5120-BSS	350A
5118-BSS	250A	5121-BSS	400A
5119-BSS	300A		



Attwood has been a proven industry leader for over 100 years. Our wide range of products, including general accessories, seat & table hardware, and water systems & ventilation are tested to the highest USCG, ABYC, and CE standards. At Attwood, quality is our highest priority.

PowerGuard Battery Boxes



PowerGuard PRO Battery Box NEW

Upward facing vents let gases out while reducing water in-take by 94% - vs. PowerGuard 27 Series. Polypropylene Composite material is impervious to acid leak and other external factors. Engineered spill channels direct water away from the battery. Folding entry panels provide easy access to the battery terminals without the need to remove the mounting strap. Versatile bidirectional design allows contact from any angle. Ergonomic handles provide more comfort when transporting the battery

Dimensions with Lid Installed (L x W x H)
Inside Dim. 13-1/8" x 7" x 11"
Outside Dim. 21" x 11-1/4" x 11-1/2"



PowerGuard 27 Battery Box

Vented black battery box for Series 27 batteries (8-1/2" maximum battery block height, 10-1/2" maximum battery height with terminals). Polypropylene construction for total acid resistance. 40" hold-down straps resist 350 lbs. of force. Drop tested in temperatures ranging from -20°F to +120°F. Mounting hardware included.

- Four cable openings, enlarged to 0.55" diameter
- Larger handles with rolled edges
- · Instructions molded inside cover

Dimensions with Lid Installed (L x W x H)
Inside Dim. 13-1/16" x 6-15/16" x 10-1/2"
Outside Dim. 16-7/8" x 9-5/8" x 10-7/8"



PowerGuard 24 Battery Box

Vented and non-vented black battery box for standard size, Series 24 batteries (8-3/16" maximum battery block height, 10-1/8" maximum battery height with terminals). Polypropylene construction for total acid resistance. 40" Hold-down straps resist 350 lbs. of force. Drop tested in temperatures ranging from -20°F to +120°F. Mounting hardware included.

- Four cable openings, enlarged to 0.55" diameter
- · Larger handles with rolled edges
- Instructions molded inside cover

Dimensions with Lid Installed (L x W x H) Inside Dim. 10-5/8" x 7" x 10-1/8" Outside Dim. 14" x 9-5/8" x 10-5/8"



PowerGuard 29/31 Battery Box

Vented black battery box for larger applications (7-15/16" maximum battery block height, 9-3/4" maximum battery height with terminals). Polypropylene construction for total acid resistance. 38" Hold-down straps resist 350 lbs. of force. Drop tested in temperatures ranging from -20°F to +120°F. Mounting hardware included.

Dimensions with Lid Installed (L x W x H)

Inside Dim. 15-7/16" \times 6-15/16" \times 7-15/16" \times 15-7/16" \times 6-15/16" \times 9-3/4" \times

Outside Dim. 18-7/8" x 9-1/4" x 10-1/4"

* Without terminals ** With terminals

Battery Box Accessories



Battery Tray with Straps

A simple-to-install battery holder that fits into limited spaces. For batteries up to 10-1/2 inches in height. Provide simple installation for changing or replacing batteries. The polypropylene hold-down strap has a positive locking, quick-disconnect buckle. Molded base mounts with four #10 panhead fasteners.

Battery Series	Inside Dimensions	Part #
24/24M	7" L x 11" W	9092-5
27/27M	12-3/8" L x 7-1/8" W	9093-5
29/31	12-7/8" L x 7" W	9099-5



Heavy-Duty Battery Trays

Made of non-corrosive black plastic. Includes adjustable height crossbar and stainless steel retaining bolts. Install with #10 fasteners.

Battery Series	Inside Dimensions	Part #
24/24M	10-7/16" L x 6-7/8" W	9096-5
27/27M	12" L x 6-7/8" W	9095-5
29/31	13-1/16" L x 6-7/8" W	9094-5

Battery Box Hold-Down Strap

Straps are woven polypropylene with firm-grip buckles and are completely resistant to battery acid.



Description	Fits Battery Box	Part #
54" strap kit	9084	9013A3



LITHIUM DEEP CYCLE BATTERIES

When your journey involves countless miles or remote campsites, you need a trustworthy battery that won't hold you back. Lightweight RELiON lithium iron phosphate (LiFePO4) batteries are maintenance-free, fast-charging and environmentally friendly to provide reliable power and peace of mind while you enjoy some well-earned peace and quiet.

ADVANTAGES FOR RECREATIONAL VEHICLES

It's hard to beat a RELiON lithium iron phosphate (LiFePO4) battery when they deliver everything you need to support life on the road and off-the-grid. Inherently safe and lightweight, you'll not only travel further more efficiently, you'll do it with less of a footprint without sacrificing power, performance and reliability.



MORE USABLE CAPACITY

Lithium batteries allow you to use 100% of their capacity, regardless of the rate of discharge. So, run all your electronics and know that you have ample reserves, even when you're boondocking.



LONGER LIFE

RELION lithium batteries provide up to 10 times longer life than lead-acid batteries, and they still provide 80% of rated capacity after 2,000 cycles.



PARTIAL STATE OF CHARGE TOLERANCE

Partial charging does not affect performance quality or battery life. A low self-discharge rate means worry-free storage so even occasional users can be assured of reliable performance.



INSTALLATION FLEXIBILITY

Can be installed upright or on its side.



CONSTANT POWER

Full power available throughout discharge. Voltage does not drop like lead-acid.



ECO-FRIENDLY & SAFE

RELION lithium batteries create no exhaust fumes so you can use them in a confined space with no ill effects. No gassing, no fumes, and no pollution.



LIGHTER WEIGHT

50-60% less weight than lead-acid equivalent.



MAINTENANCE-FREE

Plug, play and charge. No watering.



TEMPERATURE TOLERANCE

2.5X more efficient operation at low temperatures. Safely operational up to 149°F (65°C).



OUR PRODUCTS

Whether you're living on the road or an enthusiastic weekend warrior, you want reliable power both on and off the grid. We have one of the largest LiFePO4 product offerings available with 12V and 24V batteries available in a variety of BCI standard sizes for easy drop-in replacement.

OUR MOST POPULAR LITHIUM RV BATTERIES

BATTERY	BCI SIZE	VOLTAGE	CAPACITY (AH)	ENERGY	CURRENT CAPABILITY	WEIGHT (LBS)
LEGACY SERIES						
RB60	24	12.8V	60	768	60	15.9 (7.21kg)
RB75	24	12.8V	75	960	75	23.6 (10.70kg)
RB80	27	12.8V	80	1024	80	24.9 (11.29kg)
RB100	31	12.8V	100	1280	100	26.4 (11.98kg)
RB200	8D	12.8V	200	2560	100	61.1 (27.7kg)
RB300	8D	12.8V	300	3840	100	75.8 (34.36kg)
RB24V52	31	25.6V	52	1280	50	29.1 (13.2kg)
RB24V100	8D	25.6V	100	2560	100	61.1 (27.7kg)
LT SERIES	LT SERIES					
RB100-LT	31	12.8V	100	1280	100	27.9 (12.64kg)
RB300-LT	8D	12.8V	300	3840	100	76.1 (34.54kg)
INSIGHT SERIES						
12V120-GC2-LT	GC2	12.8V	120	1536	160	34.4 (15.6kg)

WHICH RELION BATTERY IS RIGHT FOR YOUR RV?

With so many different configurations, applications and needs, finding a battery that checks all the boxes can be a challenge. Below find common batteries for use in different classes of RVs.

	CLASS	TYPICAL POWER SYSTEM	SHORE POWER SERVICE (Maximum Current)	RELION BATTERY REPLACEMENT MODEL (Single or multiples in series or parallel to meet voltage/capacity needs)
	Class A	12-48 volt system powered by banks of 6V AGM batteries.	50 Amp	RB200, RB300, InSight 12V
	Class B	12-24 volt systems powered by banks of 12V AGM batteries.	30-50 Amp	RB75, RB80, RB100, RB100-LT, InSight 12V
	Class C	12-24 volt systems powered by banks of 12V AGM batteries.	30-50 Amp	RB100, RB100-LT, InSight 12V
	5th Wheel	12-24 volt systems powered by banks of 12V AGM batteries.	30-50 Amp	RB100, RB100-LT, InSight 12V
	Toy Hauler	12-24 volt systems powered by banks of 12V AGM batteries.	30-50 Amp	RB80, RB100, RB100-LT, InSight 12V
,	Travel Trailer	12-24 volt systems powered by banks of 12V AGM batteries.	15-30 Amp	RB60, RB75, RB80, RB100, RB100-LT, InSight 12V
	Pop-Up	12 volt systems powered by U1 or Group 24 batteries	15 Amp	RB35, RB52, RB60, RB75



POWER IN A CLASS OF ITS OWN

From powering the essentials to the non-essentials, RELiON lithium batteries allow you to disconnect further from the grid, powering electronics longer and connecting to shore power less.



INSIGHT 12V

The InSight Series™ 12V battery, designed specifically for RV deep cycle applications, is capable of 2,048 watts continuous from a single battery. This 120Ah powerhouse lithium battery can output 160A continuous and offers higher peak discharge, allowing you to run multiple appliances at the same time!

WEATHER ANY SEASON WITH THE LT SERIES

Our Low Temperature (LT) Series lithium batteries are cold-weather performance batteries that can charge at temperatures down to -20°C (-4°F).

How? The system features proprietary technology that draws power from the charger itself, requiring no additional components. The entire process of heating and charging is completely seamless. Simply plug the battery into the regular lithium charger and the internal heating and monitoring system takes care of the rest.

WE STAND BEHIND OUR PRODUCT!

10 YEAR WARRANTY





Power Without Li³ mits



The Outlaw[™] 1072S is a portable, renewable power source that puts lithium power right at the tips of your fingers. At only 32 lbs, the Outlaw is versatile enough to be used for a variety of applications. Take it with you on camping trips, use it as an alternative power source at home or have it ready in case of an emergency power outage. It can be used to charge a number of appliances and electronics, so you have safe, longlasting power on-hand without the noise and fumes of a gas generator.



3 WAYS TO CHARGE

 $\ensuremath{\mathcal{G}}$ at home, in the sun, or on the run

FEATURES OF THE OUTLAW 1072S:

- Multiple Ways to Use: It features 2 AC, 3 USB-A, 2 USB-C, 2 barrel jacks at 12V, 12V car port plug, and an EC5 30amp DC port
- Easy to Recharge: AC wall charger included and 12-25V/160W max solar input charging
- High Capacity: 921.6Wh (72Ah) LiFePO4 battery capacity with a 1000W pure sine wave inverter capable of 2000W peak
- Safe & Reliable: Lithium iron phosphate chemistry that's inherently safe. The battery management system (BMS) and UL1642 certified internal cells provide multiple layers of protection.
- LCD Screen: Displays battery life, watts in/out and remaining run time.
- Long Life: 3500+ cycles at 80% depth of discharge means long-lasting power
- Dimensions and weight: 14.5" (368mm) L x 7.9" (200mm) W x 10.9" (276mm) H, 32 lbs (14.5kg).

Features

Internal Battery



12V Car Port Quick Port (30A in/out)

AC Outputs

AC Power Button Input DC in Charger Port



2 DC Output Ports



Polak

Making Quality RV Parts for over 100 Years





ATO / ATC RESETTABLE TYPE 3 PLUG IN BREAKERS


Part Number	Amp
54-151EP	5 Amp
54-152EP	7.5 Amp
54-153EP	10 Amp
54-154EP	15 Amp
54-155EP	20 Amp
54-156EP	25 Amp
54-157EP	30 Amp



- 12-24V
- Push Button Manual Reset Breaker remains open on overload. Manually reset with the push of the button
- OEM style replacement circuit breaker

MINI / ATC RESETTABLE TYPE 3 PLUG IN BREAKERS

Part Number	Amp
54-161EP	5 Amp
54-162EP	7.5 Amp
54-163EP	10 Amp
54-164EP	15 Amp
54-165EP	20 Amp
54-166EP	25 Amp
54-167EP	30 Amp



- 12-24V
- Push Button Manual Reset Breaker remains open on overload. Manually reset with the push of the button
- OEM style replacement circuit breaker

DESIGN MAKES THE DIFFERENCE

CIRCUIT BREAKERS (TYPE 1)

Part Number Plastic	Part Number Metal	Amp	
54-110PL	-	10 Amp	
54-115PL	54-115	15 Amp	
54-120PL	54-120	20 Amp	
54-125PL	54-125	25 Amp	
54-130PL	54-130	30 Amp	
54-135PL	-	35 Amp	
-	54-140	40 Amp	
54-150PL	54-150	50 Amp	
No Mounting Bracket			





Also available in 90° mounting bracket and straight mounting bracket

CIRCUIT BREAKERS (TYPE 1 HIGH AMP)

Type 1 Auto Reset Surface Mount	Type 1 Auto Reset Panel Mount	Amp
54-850PL	54-860PL	60 Amp
54-853PL	54-863PL	80 Amp
54-851PL	54-861PL	100 Amp
54-854PL	54-864PL	120 Amp
54-852PL	54-862PL	150 Amp
54-855PL	-	200 Amp
54-856PL	-	250 Amp

- Available in Type 3
- Typically used for auxiliary and accessory circuits trucks, buses, RVs and marine applications. Others might include battery charges and DC audio systems



Pollak

RV 4, 6 & 9 WAY SPECIALTY CONNECTORS & PLUGS



Part Number	Description	
11-402	4-Way Connector Plug	
11-404	4-Way Connector Socket	
11-408*	4-Way Connector Kit (11-409 & 11-410)	
11-409	4-Way Connector Plug	
11-410	4-Way Connector Socket	
11-400**	4-Way Connector Kit (11-402 & 11-404)	
11-604	6-Way Connector Plug	
11-609	6-Way Connector Socket - Covered Back	
12-906	9-Way RV Connector Plug	
12-907	9-Way RV Connector Socket	

*Consists of 11-409 Plug and 11-410 Socket

- High impact plug interiors are secured with a key and keyway to eliminate twisting (disorientation) and breakage from forces that are applied in normal function
- Extended exterior and socket conceals terminals
- Unique cable clamps prevent chafing, giving more cable support and saving installation time
- Stainless steel spring
- Dust and water resistant
- Polarized for proper wiring
- Terminals accept up to 12-gauge wire
- Two ¼" diameter mounting holes on 4-Way sockets. 2¼" on center. Mounts through 1¾" diameter hole
- Interchangeable with competitive brands

^{**}Consists of 11-402 Plug and 11-404 Socket

DESIGN MAKES THE DIFFERENCE

RV 7 WAY CONNECTORS PLUGS & HARNESSES



- Color coded to RVI standards
- Optimum slant mount and drain slot prevents housing interior from accumulating moisture
- Will accept the widest range of wire gauges from from 16-gauge wire to 8-gauge ground wire.
 Ground terminal pin #1 will accept 14-gauge min. to 8-gauge max. Other terminals will accept 16gauge min. to 10-gauge max.
- 40 amp continuous duty at 6 28 volts
- Integral finger grips for positive pull
- Interchangeable with competitive brands

Part Number	Description
12-702	7-Way, RV Connector Metal Plug
12-703	7-Way RV Connector Metal Socket
12-706	7-Way RV Plastic Connector Plug
12-707E	7-Way RV Plastic Connector Socket
11-893	RV OEM-Style 7-Way Socket
11-916	RV OEM-Style 7-Way Socket
11-998	Interlocking Mating Conn & 4' Harness for the 11-893 Socket
11-898	RV OEM-Style 7-Way Socket Kit with 4' Harness Assy.
11-932	T-Connector Harness for 5th Wheel
11-933	Harness Adapter Converts OEM 8 Pin Chrysler to OEM Round 7-Way
11-934	Male Interconnector for Factory Round Socket Connector, 36" Extension
12-711U	Black-Coated Mtg.Brkt. for 7-Way RV Socket
14-227	RV Cable and Encapsulated Plug Assy, 8'

7-Way RV Recommended Wire Gauge						
No.	Color	Gauge	Description			
1	White	10	Ground Return			
2	Blue	12	Electric Brake			
3	Green	14	Tail, License and Running Lights			
4	Black	10	Battery Charge			
5	Red	14	Stop & Right Hand Turn Signal			
6	Brown	14	Stop & Right Hand Turn Signal			
7	Yellow	14	Auxiliary Circuit			

35

Pollak®

ACCESSORIES FOR TRAILER TOW

Part Number	Description
11-761	7-Pole Rubber Socket Boot
11-617	Connector Bracket Designed to Fit under the Trailer Tongue, Ball, or 2-Hole Frame Mount
11-771	7-Pole Socket Bracket
12-701U	Right Angle Mounting Bracket for 11-893, 12-703, 12-707, 12-701U; Heavy Gauge Steel
12-711U	Right Angle Mounting Bracket for 11-893, 12-703, 12-707, 12-701U; Black Epoxy Coated Heavy Gauge Steel



ADAPTERS FOR RV AND HEAVY DUTY APPLICATIONS

Part Number	Description
12-716	7-Pole to 4-Pole
12-717	6-Pole to 4-Pole
12-719	7-Pole to 6-Pole Adapter Includes Brake Pin in Center
12-729	7-Pole to 6-Pole Adapter Includes Auxiliary Pin in Center
12-723	4-Way Flat Plug to 7-Way RV Type Socket
12-724	7-Way Pin Plug to 7-Way RV Type Socket
12-610	4-Way Flat Plug to 6-Way Round Metal Socket
12-742	7-Way Pin Plug to 4-Way Flat Adapter



- Quick and easy connections
- Non-corrosive nylon shell and insert
- Eliminates makeshift jumpers
- · Interchangeable with competitive brands

DESIGN MAKES THE DIFFERENCE

TESTERS

Part Number	Description
12-741	7-Way RV Socket LED Circuit Tester (Blade)
12-777	7-Way Socket LED Circuit Tester (Round Pin)
12-410	4-Way LED Tester

 Circuit tester plugs into the 7-Way or 4-Way connector on your RV. LED lights indicate which functions (brake, turn, tail, stop, reverse and 12V) are properly working



TAIL LIGHT CONVERTERS

Part Number	Description
12-750	Heavy Duty 60"
12-751	Regular Duty 60"
12-752	3-Way to 2-Way Converter



Prest-O-Fit is part of a family-owned and operated company located in Chandler, Arizona. In business for over 40 years, the company is founded on family values, the well-being of its employees, pride in its products and impeccable customer service. Prest-O-Fit products are more than decoration - they make the RV lifestyle more livable and functional. Prest-O-Fit has continued to develop many innovative, quality products that address the unique needs of recreational vehicle users. We make products with purpose for RVers.

TRAILHEAD"

NEW! STEP RUGS DESIGNED FORMORryde[®] StepAbove[®] AND Lippert[®] Solid Step[®] RV STEPS







Trailhead Step Rugs for MORryde StepAbove RV Steps

- Available for 2 Step, 3 Step, and 4 Step in multiple widths and colors
- Made of heavy-duty UV-protected outdoor turf
- Strong bristle fibers easily remove dirt and debris
- Easy to install with included springs and hook & loop fasteners
- Easy to clean, just hose off and dry
- Resistant to fading, mold and mildew

	Step Tread Width		Top Step Tread Depth	Obsidian Black	Buckskin Brown
2 STEP	17.5"	X	8" or 10.5"	2-0500	2-0501
RUG PKG	19.5"	Х	8" or 10.5"	2-0506	2-0507
	17.5"	Х	8" or 10.5"	2-0512	2-0513
3 STEP RUG PKG	19.5"	Х	8" or 10.5"	2-0518	2-0519
NOG I NG	23.5"	Х	8" or 10.5"	2-0524	2-0525
4 STEP	19.5"	Х	8"'or 10.5"	2-0530	2-0531
RUG PKG	23.5"	Х	8" or 10.5"	2-0536	2-0537







Trailhead Step Rugs for Lippert[®] Solid Step[®] RV Steps

- Available for 2 Step, 3 Step, and 4 Step in multiple widths and colors
- Made of heavy-duty UV-protected outdoor turf
- Strong bristle fibers easily remove dirt and debris
- Easy to install with included springs and hook & loop fasteners
- Easy to clean, just hose off and dry
- Resistant to fading, mold and mildew

	Step Tread Width	Top Step Tread Depth		Obsidian Black	Buckskin Brown
2 STEP	20 1/8"	X	13"	2-0286	2-0287
RUG PKG	24 1/8"	X	13"	2-0272	2-0273
3 STEP	20 1/8"	X	13"	2-0288	2-0289
RUG PKG	24 1/8"	Χ	13"	2-0278	2-0279
4 STEP	20 1/8"	Χ	13″	2-0290	2-0291
RUG PKG	24 1/8"	Х	13"	2-0284	2-0285

Patent Applied For. ©2024 Prest-O-Fit, Inc. All Rights Reserved MORryde® and StepAbove® are registered trademarks of MORryde International, Inc. Nothing in this advertisement is intended to indicate any affiliation with MORryde International, Inc.

Lippert Components® and Solid Step® are registered trademarks of Lippert Components, Inc. Nothing in this advertisement is intended to indicate any affiliation with Lippert Components, Inc.

PREST-O-FIT

Black Onyx

2-0394

2-4134

2-0223

2-4143

Atlantic Blue

2-0392

2-4132



Fits Straight AND Curved Steps

Ruggids Universal RV Step Rugs

- Made of durable UV-protected outdoor carpet
- Easy to install, fitting manual and electric steps

	Coffee Brown	Charcoal Black
Universal	2-0431	2-0430
Universal 3-Pack	2-4126	2-4125

Radius XT 2

- Designed for straight steps -

Ruggids Universal (22" W) • Fits Steps Up To 8"-11" Deep

Outrigger (18" W) • Fits Steps Up To 8" Deep Outrigger (23" W) • Fits Steps 8"-11" Deep

Outrigger Radius XT (22" W) • Fits Steps 8"-10" Deep

Designed for curved steps

Outrigger RV Step Rugs

- Micro-ribbed texture provides better traction
- Easy to install, fitting manual and electric steps
- Made of high-quality UV-protected outdoor carpet

	Castle	Walnut	Chocolate	Atlantic	Blac
	Gray	Brown	Brown	Blue	Ony
Straight 18″	2-0313	2-0311	2-0315	2-0312	2-031
Straight 23″	2-0353	2-0351	2-0355	2-0352	2-035
Radius XT 22″	2-0383	2-0381	2-0385	2-0382	2-038



Wraparound Brand RV Step Rugs

- Protect your interior and accent your exterior
- Made of UV-protected outdoor turf
- Easy to install fits most manual and electric steps

	Stolle dray	BIOWII	dreen	imperial blue	Espresso	DIACK
Wraparound 18"	2-1043	2-0041	2-0040	2-1041	2-1040	2-1042
Wraparound+Plus 20"	2-1073	2-0071	2-0070	2-1071	2-1070	2-1072
Jumbo Wrap.+Plus 23"	2-1053	2-0051	2-0058	2-1051	2-1050	2-0050
Wraparound Radius 22"	2-0206	2-0201	2-0200	2-0204	2-0203	2-0205



Surface Mate Patio Rug

- UV-protected against sun damage & fading
- Finished on all edges
- Solid marine backing prevents dirt & mud from coming through
- Resistant to mold & mildew

Stake, stick or snap your Surface Mate Patio Rug into place. Four hooked-fiber strips with snap fasteners sewn into the corners give you the freedom to attach the rug to a variety of surfaces. Stake the rug into soft ground using the included metal stakes with washers and highly durable straps, or for a more permanent attachment, drill the four included snap fastener screws into place on a hard wood deck, then simply snap the rug in place. All-weather rugs are made of heavy-duty outdoor turf that features UV-protection plus mold and mildew resistance. Rugs are finished on all edges to prevent fraying and easy to clean.

	Stone Gray	Brown Tan	Green	Imperial Blue	Espresso
6' x 9' 8' x 12'	2-1184 2-1204	2-1181 2-1201	2-1180 2-1200	2-1183 2-1203	2-1182 2-1202

Each Set Contains: 1 - Surface Mate Patio Rug, 4 - Rubber Stake-Down Straps, 4 - Ground Stakes with Washers, 8 - Hook-And-Loop Fastening Discs, 4 - Snap Fastener Screw Studs



PREST-O-FIT





Rugs Designed for RVers™


Add life to your floors! These rugs are specifically sized for RV interiors. Low pile allows for easy door clearance. Premium skid-resistant backing works great on carpet and hard floors. Finished edges prevent fraying.

Butter Pecan	Peppercorn	Sandstone	Fossil Gray	Cocoa Brown
The state of the s	Carlotte and		$\langle \mathcal{O} \rangle$	$\langle \rangle$
5-0262	5-0263	5-0258	-	-
-	-	-	5-0269	5-0268

3-Piece Rug Set Hallway Runner (23'x72') Kitchen Mat (24'x36') Bathroom Mat (20'x24')



2-Piece Rug Set Hallway Runner (23'x72') Kitchen Mat (24'x36')



RV Step Huggers®

3-Piece Set

2-Piece Set

Sized specifically for RV Stair Steps and Landings, these attachable Step Rugs are available in a multitude of colors, patterns, and materials. Choose from Butter Pecan, Peppercorn, Black Granite, Sandstone, and Sierra Brown with our high-quality olefin steps. Steps are also available in our Trailhead material. Choose from Buckskin Brown or Obisdian Black. With strong bristle fibers to easily remove dirt and debris.

	Butter Pecan	Peppercorn	Sandstone	Black Granite	Sierra Brown	Buckskin Brown	Obsidian Black
13.5" Stair Step	5-0072	5-0073	5-0068	5-0070	5-0071	5-0100	5-0103
6" Landing Step	5-0092	5-0093	5-0088	5-0090	5-0091	-	-
8" Landing Step	5-1092	5-1093	5-1088	5-1090	5-1091	5-1100	5-1103
10" Landing Step	5-3092	5-3093	5-3088	5-3090	5-3091	5-3100	5-3103







BLUELINE

RV Sanitation

Ulimate Sewer Kit[™] 1-0203

Everything you need for the most simple, secure hookup up to 20 feet!

- 2 Ultimate Sewer Hoses (10') Pushover Quick Connectors are installed for simple push-on connections without the need for clamps
- 1 Universal Elbow Securely fits most park sewer openings
- 1 Hose Adapter Securely connects to most waste-valve outlets
- 4 Sewer Seals Seal hoses and/or fittings for storage
- 1 Hose Coupler Easily extends hoses up to 20 feet

Quick Connect Sewer Kit™ 1-0202

Everything you need for the most simple, secure hookup up to 10 feet!

- 1 Ultimate Sewer Hose (10') Pushover Quick Connectors are installed for simple push-on connections without the need for clamps
- 1 Universal Elbow Securely fits most park sewer openings
- 1 Hose Adapter Securely connects to most waste-valve outlets
- 2 Sewer Seals Seal hoses and/or fittings for storage









Universal RV Step Rugs!

Fits Curved AND Straight 24" Wide Steps!

Display Package (Part #2-9016) Includes:

32 Trailhead Universal RV Step Rugs	
8 Buckskin Brown	2-0220
8 Grizzly Brown	2-0221
8 Harbor Gray	2-0222
8 Obsidian Black	2-0223
16 Ruggids Universal RV Step Rugs	

D-2016

1 Universal RV Step Rug Display

8 Charcoal Black	2-0430
8 Coffee Brown	2-0431

32 Outrigger Universal RV Step Rugs

8 Walnut Brown	2-0391
8 Castle Gray	2-0393
8 Black Onyx	2-0394
8 Chocolate Brown	2-0395

SPECIFICALLY DESIGNED FOR OUR NEW LINE OF UNIVERSAL RV STEP RUGS

More display solutions available, inquire with RVLI Representative for more information



Step Huggers Floor-Model Display D-3002



4-Sided Step Rug/Patio Rug Floor-Model Display D-2009



4-Sided Step Rug Floor-Model Display D-2006





4 alarms to replace almost all CO/Propane alarms



LOWEST POWER DRAW ON THE MARKET

Lower power means the RV battery will last up to 5x longer in storage and camping.

BARELY THERE DESIGN

Low profile with a softly curved shape to make less obtrusive.

from non-threatening chemicals and gases due to highly selective carbon monoxide sensor.

FE	:W	ER	FAI	LSE	Αl	.AR	MS

Each alarm includes 2 universal mounting brackets



SUITABLE FOR REPLACING:

- Safe-T-Alert[™] 20 series, 25 series, 30 series, 35 series, 40 series, 45 series, 65 series, 70 series and 85 series
- Most Atwood and Dometic branded CO/Propane alarms
- Universal mounting brackets allow replacement of almost all detectors on the market





More about RV Safe

- Simple to install. No sawing or routers needed.
- Low profile (0.57" thick) with a softly curved shape to make less obtrusive.
- Fewer false alarms from non-threatening chemicals and gases due to highly selective carbon monoxide sensor.
- Powered from 12VDC RV battery.
- Reduced battery drain due to unique low power design.
- Test / Silence button allows for easy testing of the alarm and quickly silence nuisance alarms.
- Meets or exceeds all UL2034 and CSA 6.19-01 requirements for carbon monoxide alarms in recreational vehicles.
- Meets or exceeds all UL1484 requirements for propane gas alarms in recreational vehicles.
- Electrical Rating: 13.5VDC, 22mA typical (88mA max).
- Alarm activates with a four beep pattern with a flashing red LED for CO gas, or a continuous beeping with a solid red LED for Propane gas. If both gases are present, the alarm will indicate Propane as it requires more immediate action.
- Assembled with state of the art, robotic automation to produce consistently high quality and reliability.
- Designed, tooled and assembled in the USA.





White Plastic Option

SPECIFICATIONS: Operating Temperature: -40°F to 150°F (-40°C to 66°C) Length: 4.21 in (10.7 cm) Height: 0.57 in (1.4 cm) Hole Spacing: 3.625 in (9.2 cm) Weight: 1.3 oz (37 g)






150 ppm for 10 to 30 minutes 400 ppm for 4 to 15 minutes

LP Sensitivity: 5250 ppm (<25% LEL)

Listings: ETL, cETL, CSA 6.19.01 Listing Standards: UL 2034 (CO)

UL 1484 (Propane)






We are SPECIALTY RECREATION

A family-owned company located in sunny Callifornia. We've been in the RV business since 1971 and have been supplying products to the aftermarket for over 30 years.

Having been in the business for almost a half century, we know a thing or two about our customer' needs and wants. We are constantly striving to bring the RV aftermarket new products for today's consumers.

Our main products lines consist of bath products and skylights. We offer one of the largest selections of skylight siazes and colors. With 50% more size options than our copetitors, it's easier to find the size you're looking for in-stock. We also offer a full line of replacment bath walls, tubs and shower pans.





To find the correct size skylight, measure your rough hole dimension. Then compare that to our skylight sizes, which all go by the rough hole dimension.

When measuring for a neo angle skylight, find a 90 degree angle and measure the long (X) and the short (Y) sides then compare your dimensions to our skylight sizes.



SKYLIGHT SEALANT KIT

Take the guesswork out of skylight installation with this kit.

Includes everything your customers need for successful installation. Approved sealant and correct size screws with directions for install.

SR33150 - Single box SR33150P - Six-pack in a shelf ready cut box



SKYLIGHT SEALANT

A single tube of approved sealant for skylight installation.

This sealant eliminates harmful chemicals that eat through polycarbonatem, ensuring a longer lasting installs

SR140 - Single box **SR140BX** - Six-pack in a shelf ready cut box





All include sealant.







Additional Sizes Available!





SR SPECIALTY

All include sealant.

	All includ	e sealant.	NEC	ANGLE
MFG#	Hole Size Inches	Flange Inches	Height Inches	MALE
NSL208W	20 x 8	24 x 11	5	
NSL2412S	24 x 12	27 x 14.5	5	
NSL2810W	28 x 10	32 x 13	5	

Additional Sizes Available!

SKYLIGHT **SHADES** SLS1414B SLS2230B SLS1422B | SLS1422

Thermo Shield Shade

Includes DUO Heat Shielding Technology to help reflect light rays back off your RV. Designed with edge-to-edge coverage i without a perforated curtain, blocking nearly all light coming nto the RV. This provides ultimate temperature and light control.

Standard Shade

An economical solution designed to help reduce heat and light in your RV by reducing the UV effect.

Installs in Minutes - Hardware Included Made from Mold-Resistant Materials

MFG#	Inches	Style
SLS141B	14 x 14	Thermoshade
SLS1422	14 x 22	Standard Shade
SLS1422B	14 x 22	Thermo Shade
SLS2230B	22 x 30	Thermo Shade

BATH PRODUCTS



MFG#	Size	Drain	Color
BT2432WL	24 x 32	LH	White
BT2432WR	24 x 32	RH	White
BT2436PR	24 x 36	RH	Parchment
BT2436WR	24 x 36	RH	White
BT2440PL	24 x 40	LH	Parchment
BT2440PR	24 x 40	RH	Parchment
BT2440WL	24 x 40	LH	White
BT2440WR	24 x 40	RH	White

Additional Sizes Available!



FCD -**Front Center Drain**

NSB3434WC Size: 34 x 34 Color: White

Additional Sizes Available!



NEOSHOWERWALL

NSW3434W Size: 34 x 34 x 67 Color: White

Additional Sizes Available!



MFG#	Size	Drain	Color
SP2424W	24 x 24	OMNI	White
SP2432WC	24 x 32	CR	White
SP2436WL	24 x 36	LH	White
SP2436WR	24 x 36	RH	White
SP2440WR	24 x 40	RH	White
SP2440WL	24 x 40	LH	White

Additional Sizes Available!



STEP TUB

RH- Right side drain / LH- Left side drain ST2436WL Size: 24x36, LH Drain, Color: White

ST2436WR Size 24x36, RH Drain, Color: White



SHOWER WALL

SW2432W Size: 24x32x66, Color: White SW2436W Size: 24x36x66, Color: White



TUB WALL

TW2440W Size: 24x40, Color: White



SHOWER WALL SYSTEM

SWA2436W Size: 24x36x67, Color: White SWA2440W

Size: 24x40x67, Color: White







SPECIALTY PRODUCTS



PORCH LIGHT LENS

SR33101

Replacement lens for grab bar porch lights.



SHOWER ORGANIZER

33300

Designed for easy shower installation. It includes a designated soap shelf, towel bar and shower accessory storage area.



TOILET PAPER HOLDER

33200

Keep toilet paper dry in damp conditions. Durable, hygienic and easy-to-clean. Simple installation, all mounting hardware included.



LAVY CORNER SINK

LCS11W

Made of ABS plastic making it strong and lightweight. Includes all hardware needed for installation. Easy to install. Optional sink skirt is included. Standard 1-1/2" lavy drain.





INSTA HOLDING PATCH

IP48

- 4x8 patch bonds instantly to the tank allowing you to re-fill immediately
- NO Cure Time NO Mess
- Bonds to All Types of Plastics
- Instantly Fix Holding Tanks AC Shrouds Fender Skirts and More!





PREVENTS:

- Sticking
- Grinding
- Difficulty Opening

SLIDE OUT SKIS

028102D-AFT 028102D-10 (10 Pack)

A sticking slide out can destroy RV floors where rooms slide on the rollers. Save the slide out and the floor with this amazing Easy Slide system. Designed to give the slide out that smooth easy glide that it had when it was new.



INSTALL TAPE

IT154

- Perfect for shower wall installs and so much more
- Professional grade tape used by Original Equipment Installers
- Holds up against rigorous wear & tear
- Easy to use peel and stick installation
- 1/4" thick by 1" wide tape
- 54 feet of tape on the roll
- Uses are endless!



DUO Plastic cleaner has been specially formulated to SAFELY clean plastic and won't cause degradation to the plastic components in your RV, and will keep your fixtures looking like new! DUO PURE Cleaners are non-toxic, eco-friendly, organic, biodegradable.

DUOCLN-KIT

Contents Include:

- DUO PURE RV PLASTIC CLEANER, 16 oz
- DUO PURE RV GLASS CLEANER, 16 oz
- DUO PURE DRAIN DEODORIZER, 16 oz
- Ultra Soft Microfiber Cleaning Cloth
- Squeegee







NEVERKINK® RV/MARINE

- Drinking Water Safe Manufactured with F.D.A. sanctioned materials
- Lead Safe -Complies with Consumer Product Safety Improvement Act
- Grip-Tite® coupling for an easy, leak-free connection at the faucet
- ThumThing® coupling for easier attachment to the faucet (1/2" diameter only)

• Lifetime Replacement Guarantee UPC Prefix: 0							
Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC	
7602-25'	1/2"	25'	10	28	2.0	76024-6	
8602-25'	5/8"	25'	10	39	2.4	86022-9	
8602-50'	5/8"	50'	5	39	2.4	86025-0	
8602-75'	5/8"	75'	3	35	2.1	86027-4	



- Drinking Water Safe Manufactured with F.D.A. sanctioned materials
- Lead Safe -Complies with Consumer Product Safety Improvement Act
- ThumThing® coupling for easier attachment to the faucet
- Lifetime Replacement Guarantee

UPC Prefix: 0-31724

Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC
7503-15'	1/2"	15'	10	18	1.4	57503-1
7503-25'	1/2"	25'	10	28	2.0	75032-2
7503-50'	1/2"	50'	10	52	3.2	75035-3
8503-25	5/8"	25'	10	34	2.9	85032-9
8503-50	5/8"	50'	5	36	2.3	85035-0



Drinking Water **Safe**



Manufactured with FDA sanctioned materials



Lead Safe Complies with the Consumer Product Safety Improvement Act



NEVERKINK® RV/MARINE

- Drinking Water Safe Manufactured with F.D.A. sanctioned materials
- Lead Safe -Complies with Consumer Product Safety Improvement Act
- Grip-Tite® coupling for an easy, leak-free connection at the faucet
- ThumThing® coupling for easier attachment to the faucet

• Lifetime Replacement Guarantee UPC Prefix: 0-31							
Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC	
7604-25'	1/2"	25'	10	34	2.0	76043-7	
8604-25'	5/8"	25'	10	44	2.9	86043-4	
8604-50'	5/8"	50'	5	43	2.2	86046-5	



STARTER KIT

- Drinking Water Safe -Manufactured with F.D.A. sanctioned materials
- Lead Safe -Complies with Consumer Product Safety Improvement Act
- Ten Year Replacement Guarantee

		UPC Pref	1X: 0-31/24			
Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC
7533-25′	1/2"	25'	10	26	2.0	75332-3





©2022 Teknor Apex Company All Rights Reserved.

TEKNOR APEX



When it comes to **innovation**, zero-G sets a new engineering standard in advanced performance. Guaranteeing the **best balance** of lightweight, kink resistance, easy handling and long-lasting performance. A difference your customers can trust.



zero-G®

Hose performance re-invented. UPC Prefix: 0-317:								
Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC		
4001-100′	5/8"	100'	4	40	2.3	40011-1		

P_D0

Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC
4001-25	5/8"	25'	6	18	1.0	40012-8
4001-50	5/8"	50'	6	33	1.8	40015-9

Takes the Work Out of Yard Work

- 50% lighter weight for ease-of-use and maneuverability
- Improved Ergonomic grips for easier attachment
- · Commercial grade crush-resistant coupling with brass insert to prevent corrosion
- · Abrasion, leak and puncture-resistant G-Force® outer cover for longer performance
- Tru-Flex® inner core minimizes kinking
- 600 psi-rated
- Drinking Water Safe and Lead Safe
- Assembled in USA with a 5 Year Warranty



zero-0	i® Pi	0
--------	-------	---

Hose perf	orman	UPC Pre	fix: 0-3172			
Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC
4300-100	3/4"	100′	3	34	2.0	43001-

PDQ

Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC
4300-50	3/4"	50'	4	23	1.3	43005-
4300-75	3/4"	75'	3	25	1.8	43007-

Takes the Work out of Your Work Day

- 55% lighter weight compared to commercial vinyl hoses
- Improved Ergonomic grips for easier attachment
- Commercial grade crush-resistant coupling with brass insert to prevent corrosion
- 3/4" diameter for high flow, 500 psi-rated
- · High visibility color
- · Compact, easy to store or relocate
- · Assembled in USA with a 10 Year Warranty



zero-G®

Freedom from heavy, bulky hoses. UPC Prefix: 0-317								
Stock#	I.D.	Length	Pack	Wt.lb.	Cu.Ft.	UPC		
4006-25	1/2"	25'	6	14	1.1	40062-3		
4006-50	1/2"	50'	6	26	2.5	40065-4		

Great for RV and Marine Use

- 50% lighter weight for ease-of-use and maneuverability
- Crush-resistant couplings
- · Abrasion, leak and puncture-resistant G-Force® outer cover for longer performance
- Tru-Flex® inner core minimizes kinking
- 600 psi-rated
- Drinking Water Safe and Lead Safe
- · Assembled in USA with a 5 Year Warranty





- · Spring coil, crush-resistant couplings with brass threads
- Superior abrasion and pump resistance

* NOT RECOMMENDED FOR DRINKING WATER

- UV resistance prevents pinholes and cracking
- Lifetime Warranty UPC Prefix: 0-31724 8845-50' 5/8" 88455-3





©2022 Teknor Apex Company All Rights Reserved.

